INDEX

Names in **bold face** indicate new genera, species or varieties; numbers in **bold face** indicate illustrations, numbers in parentheses are the numbers of papers containing the Plates listed immediately following.

A

Acestrorhynchus microlepis, (22) Plate VI Acipenser rubicundus, 109 Acragas carinatus, 129, 130 Aegintha, 18 Aequidens potaroensis, 16 tetramerus, 13, (3) Plate I Aethorhynchus, 18 Aetobatis narinari, 109 Amadina erythrocephala, 81 fasciata, 81 Ambloplites rupestris, 110, 207, 210, (22) Plate V Ameiurus lacustris, 110 nebulosus, 208 platycephalus, 208 Amia calva, 109 Amphiprion percula, 205 Anchoa mitchilli, 61, 62, 64, (10) Plate II Angelichthys isabelita, 205, 206, (22) Plate II Anguilla rostrata, (22) Plate IV Anoptichthys jordani, 169, 172, (20) Plates I-III, (22) Plate VI Apomotis cyanellus, 207 Arca (Acar) gradata, 155 (Anadara) biangulata, 155, (19) Plate I formosa, 156 mazatlanica, 156, (19) Plate I reinharti, 157 similis, 157, (19) Plate I tuberculosa, 157 (Arca) fernandezensis, 154 mutabilis, 154 pacifica, 155 (Arcopsis) solida, 158 (Barbatia) reeveana, 158 (Calloarca) alternata, 159 (Cará) emarginata, 159 (Cunearca) aequatorialis, 160 bifrons, 160 esmeralda, 160 nux, 161 perlabiata, 161 (Larkinia) grandis, 161 multicostata, 162 (Lunarca) vespertina, 158, (19) Plate I (Scapharca) cepoides, 162 concinna, 162 obesa, 163 Argulus, 207 Astyanax mexicanus, 169, 172, (20) Plates I-III Atrina maura, 165 oldroydii, 166

Bacillus columaris, 208, (22) Plate III Bagre marinus, 110 Balistes vetula, 3 Bernieria, 18

fexta, 166, (19) Plate I

Bianium concavum, 3
plicitum, 3, 4
Bleda canicapilla, 25
eximia, 25
syndactyla, 25
syndactyla, 25
Boeopogon indicator, 24
Brachydanio albolineatus, 211
analipunctatus, 211
rerio, 211

Calyptocichla serina, 23 Caranx crysos, 89-93, 96, 98, 101 hippos, 89-93, 96, 98, 101, (22) Plate II Carcharinus sp., 109 Catostomus commersonii, 210 Ceratacanthus schoepfii, 205 Cercopithecus sabaeus, 145, (18) Plate I Chaenobryttus gulosus, 207 Chaetodon striatus, 205 Chelonia mydas, 107 Chilomycterus schoepfii, 3 Chinoscopus maculipes, 127, 128 Chlorocichla falkensteini, 24 falkensteini falkensteini, 24 flavicollis 24 flaviventris, 24 loetissima, 24 simplex, 24 Chloropsis, 18 Chorodes, 209 Clytospiza cinereovinacea, 75 dybowskii, 75 monfieri, 75 Cobanus scintillans, 130, 131 Contracaecum, 3, 4 Coryphaena hippurus, 110 Criniger barbatus, 26 calurus, 26 chloronotus, 26 chloronotus, 26 finschi, 26 flaveolus, 26 balicus, 26 burmanicus, 26 flaveolus, 26 xanthizurus, 26 ochraceus, 26 cambodianus, 26 ochraceus, 26 ruficrissus, 26 sacculatus, 26 sumatranus, 26 olivaceus, 26 phaeocephalus, 26 tephrogenys annamensis, 26 frater, 26 griseiceps, 26 gutturalis, 26 henrici, 26 pallidus, 26 robinsoni, 26

tephrogenys, 26

(Axinactis) inaequalis, 153

(Glycymeris) gigantea, 150

maculata, 150 Crossleyia, 18 (Tuceta) multicostata, 151 Cryptospiza jacksoni, 76 reichenowi, 76 tessellata, 151 canoa, 152 salvadorii, 76 strigilata, 152 shelleyi, 76 Cyclochaeta domerguei, 2 Cymbephallus vitellosus, 3 Hapalopteron familiare, 18 Cyprinodon variegatus, 206, (22) Plate I Harengula pensacolae, 61, (10) Plates I, II Cyprinus carpio, 109 Helioperca incisor, 110, 207 Huro floridana, 110 Distomum constrictum, 107 Hypaeus duodentatus, 133, 134 flemingi, 132, 133 Dormitator maculatus, 205, (22) Plate V porcatus, 130, 132 Hypargos margaritatus, 75 nitidulus, 75 Echinorhyncus acus, 4 niveoguttatus, 75 proteus, 205, (22) Plate II Hypergerus atriceps, 18 Encolpius fimbriatus, 133, 134 Hyphessobrycon innesi, 211 Epibdella melleni, (22) Plate I Hypoprion brevirostris, 109 Erythrura cyanovirens, 81 hyperhythra, 80 kleinschmidti, 81 papuana, 81 Ichthyophthirius, 207 prasina, 81 multifilis, (22) Plate III psittacea, 81 Ictalurus furcatus, (22) Plate III trichroa, 81 Ictiobus cyprinella, 109 tricolor, 81 Irena, 18 viridifacies, 81 Ixonotus notatus, 24 Esox estor, (22) Plate IV lucius, 110 masquinongy, 110 Lachnolaimus maximus, 205 Estrilda amandava, 79 Lactophrys tricornis, 205 angolensis, 78 Lagocephalus laevigatus, 3 astrild, 78 Larus argentatus, 3 munzneri, 84 Lecithaster confusus 3, 4 nyanzae, 84 Lepisosteus osseus, 109 atricapilla, 78 Lepomis gibbosus, (22) Plate IV atricollis, 79 humilis, 205 ansorgei, 84 Lernae sp., (22) Plate IV gambiensis, 84 Limia dominicensis, 209 capistrata, 78 Lintonium vibex, 3, 4 coerulescens, 77 Lonchura bicolor, 82 cyanocephala, 78 caniceps, 84 erythronotos, 78 castaneothorax, 83 formosa, 79 nigriceps, 84 granatina, 78 ramsayi, 84 ianthinogaster, 78 cucullata, 82 somereni, 84 ferruginosa, 83 ugandae, 84 bakeri, 84 jamesoni, 77 orientalis, 84 ansorgei, 84 forbesi, 83 benguellensis, 84 fringilloides, 82 larvata, 77 fuscans, 82 locustella, 79 grandis, 83 melanotis, 78 griseicapilla, 82, 84 melpoda, 78 kalaarti, 82 nonnula, 78 leucogaster, 82 rara, 77 leucogastroides, 82 rhodopyga, 78 leucosticta, 82 rubricata, 77 maja, 83 rufopicta, 77 malabarica, 82 nitidula, 84 melaena, 83 senegala, 77 molucca, 82 shelleyi, 78 montana, 83 subflava, 79 monticola, 83 temporalis, 78 nana, 82 troglodytes, 78 nevermanni, 83 nigerrima, 83 G pectoralis, 81 Galeichthys felis, 110 punctulata, 82 Glycymeris (Axinactis) delessertii, 153

quinticolor, 83

spectabilis, 83

striata, 82

stygia, 83 teerinki, 83 tristissima, 82 Lophorina superba minor, 139 Lyssomanes beebei, 126,127 nigropictus, 126, 127

Mago silvae, 136 Makaira nigricans ampla, 89-91, 93, 94, 97, 100, 101 nigricans marlina, 89-91, 93, 94, 97, 100, 101 Menidia menidia notata, 1 Menticirrhus americanus, 110 Microgadus codus, 3 Micropterus dolomieu, 110 punctulatus, 209 Microscelis affinis, 27 amaurotis, 27 amaurotis, (4) Plate II charlottae, 27 criniger, 27 criniger, 27 everetti, 27 flavalus, 27 gularis, 27 ictericus, 27 madagascariensis, 27 psaroides, 27, (4) Plate II nicobariensis, 27 siquijorensis, 27 thompsoni, 27 virescens, 27 Mollienisia latipinna, 210 Moxostoma auroleum, 109, 210 Mycobacterium platypoecilus, 211, (?) (22) Plate VI Myxobolus conspicuus, 210 lintoni, (22) Plate I Myxosoma bibullatum, 210

N

Narcine brasiliensis, 45, 46
Nassa obsoleta, 1
Neolestes forquatus, 18
Nicator chloris, 25
vireo, 25
Nigrita bicolor, 76
canicapilla, 76
fusconota, 76
luteifrons, 76
Neetia (Eontia) olssoni, 163
(Noetia) reversa, 163
(Sheldonella) delgada, 163
Nybelinia bisulcata, 3

cabanisi, 25

0

Oodinium ocellatum, 2, 4, 204 Opladelus olivaris, 208, (22) Plate III Ostracion cornutus, 205 Oxylabes, 18 Ozobranchus branchiatus, 107, (14) Plates I-III

2

Padda fuscata, 81
oryzivora, 81
Paradisea apoda augustaevictoriae, 139, (17) Plate I
Parmoptila woodhousei, 76
Pedalion chemnitzianum, 166, (19) Plate I
Perca flavescens, 110
Petromyzon marinus, 109
Pharomachrus mocinno costaricensis, 105
Phyllastrephus albigularis, 25
baumanni, 25

cerviniventris, 25 cinereiceps, 25 fischeri, 25 flavostriatus, 25 fulviventris, 25 hypochloris, 25 icterinus, 25 lorenzi, 25 madagascariensis, 25 olivaceo-griseus, 25 orostruthus, 25 poensis, 25 poiocephalus, 25 rabai, 25 scandens, 24 tenebrosa, 25 terrestris, 25 terrestris, 25 xanthophrys, 25 xavieri, 25 zosterops, 25 Pinctada mazatlanica, 164 Pinna rugosa, 165 Pirenestes minor, 76 ostrinus, 76 sanguineus, 76 Platypoecilus maculatus, 9, 209, 211 Xiphophorus hellerii, 11 Podocotyle olssoni, 3, 4 Poecilia vivipara, 209 Poecilobrycon sp., 209 Poephila acuticauda, 80 bichenovi, 80 cincta, 80 gouldiae, 80 guttata, 80 modesta, 80 personata, 80 phaeton, 80 ruficauda, 80 Pomacanthus arcuatus, 205 Pomatomus saltatrix, 89-94, 96, 98, 99, 101 Pomoxis sparoides, 207, 210 Porrocaecum, 3, 4 Psilostomum plicitum, 3 Pseudochondracanthus diceraus, 2, 4 Pteria sterna, 164 Pycnonotidae, 17-28 Pycnonotus atriceps, 21 barbatus, 22 tricolor, 22 xanthopygus, (4) Plate I bimaculatus, 23 blanfordi, 23 brunneus, 23 cafer, 22, 29 deignani, 29 schauenseei, 29 capensis, 22 chlorigula, 23 curvirostris, 23 cyaniventris, 21 dispar, 21 dispar, (4) Plate I eutilotus, 21 erythrophthalmos, 23 finlaysoni, 23 flavescens, 23 goiavier, 23

gracilirostris, 23 gracilis, 23

importunus, 23 insularis, 23

jocosus, 21 latirostris, 23 leucogenys, 22 leucogrammicus, 22 leucotis, 22 luteolus, 23 masukuensis, 23 melanicterus, 21 melanoleucus, 21 milajansis, 23 montanus, 23 nigricans, 22 nigriceps, 23 penicillatus, 23 plumosus, 23 poiocephalus, 21 simplex, 23 sinensis, 21 sinensis, (4) Plate II squamatus, 21 striatus, 22 tephroloemus, 23 tympanistrigus, 22 urostictus, 21 virens, 23 xantholoemus, 23 xanthorrhous, 21 zeylanicus, 22 Pytilia afra, 77 melba, 77 phoenicoptera, 77

R

Raja laevis, 109 Roccus lineatus, 205, (22) Plate II Rhynchobothrium bulbifer, 3 timidulum, 3

5

Salmo fario, 109
irideus, 109, 209, 210
Salvelinus fontinalis, 109, 209, 210
Scomberonotus maculatus, 89-91, 93, 94, 97, 100, 101
Scyllium canicula, 109
Selene vomer, 89-93, 96, 99, 101
Setornis criniger, 26
Spermophaga haematina, 75
poliogenys, 75
ruficapilla, 75
Spizixos canifrons, 20
semitorques, 20
semitorques, (4) Plate I

Spheroides maculatus, 1, 205 Sphyraena barracuda, 110 Squalus acanthias, 109 Stephanostomum tenue, 1, 4 Mkostedion vitreum, 110

T

Tanichthys albunuches, 211
Tarpon atlanticus, 63, 109, 206
Tetrashynchus bisulcatus, 3
Thescelocichla leucopleura, 24
Torpedo occidentalis, 51
Trachinotus carolinus, 89-91, 93, 94, 96, 99, 101
falcatus, 89, 90, 94, 96, (22) Plate I
Trichiurus lepturus, 89-91, 93, 94, 97, 100, 101
Trichodina halli, 4, 204
spheroidesi, 4, 204
Tylas eduardi, 18

U

Uca cumulanta, 36, 42, (7) Plate I maracoani, 35, 36 minax, 218, 220 mordax, 37 murifecenta, 36, 38, (7) Plate I pugliator, 218, 220 pugnax, 217, 218 rapax, 36, 40 schmitti, 31, 32, (6) Plate I Urocleidus, 207

v

Vomer setapinnis, 89-93, 96, 99, 101

x

Xanthomixis, 18 Xiphophorus hellerii, 9

Z

Zonaeginthus bellus, 79 fuliginosus, 79 guttatus, 79 oculatus, 79 pictus, 79 Zosterops atricapilla wetmorei, 202 erythropleura, 201

Zosterops atricapilla wefmorei, 2 erythropleura, 201 japonica simplex, 201 palpebrosa auriventer, 202 joannae, 201 mesoxantha, 201 williamsoni, 202